European Journal of Anaesthesiology 1995, **12**, 627–645

Author Index

Acalovschi I, Miclescu A & Bugov L. The effects of propofol on laryngeal reactivity and the haemodynamic response to laryngeal mask insertion, 351
Agoston S *see* Beaufort AM
Agoston S *see* Khuenl-Brady KS
Agoston S. Onset time and evaluation of intubating conditions: rocuronium in perspective, Supp. 11, 31
Aktürk G, Kiral N, Barlak A, Solak M, Özen I & Erciyes N. The choice of anaesthetic technique for Caesarean section does not effect plasma β-endorphin levels in the neonate, 525
Alvarez J *see* Blanco E
Arendt-Nielsen L & Peterson-Felix S. Wind-up and neuroplasticity: is there a correlation to clinical pain? Supp. 10, 1

Bach A *see* Motsch J
Bakalova R *see* Chinev S
Banic A *see* Erni D
Barbagli R *see* Rucci FS
Barlak A *see* Aktürk G
Batacchi S *see* Fabbri LP
Beaufort AM, Wierda JMKH, Belopavlovic M, Nederveen PJ, Kleef UW & Agoston S. The influence of hypothermia (surface cooling) on the time–course of action and on the pharmacokinetics of rocuronium in humans, Supp. 11, 95
Bellver J *see* De Andrés JA
Belopavlovic M *see* Beaufort AM
Benad G *see* Hofmockel R
Benoit E. Effects of intravenous anaesthetics on nerve axons, 59
Berg-Johnsen J *see* Langmoen IA
Berlin T *see* Löfgren A
Biburger G *see* Hering W
Bischiniotis TS *see* Michaloudis DG
Blanco D *see* Ortiz M
Blanco E, Vidal MI, Fagundo S, Campaña O & Alvarez J. Comparison of maintenance and recovery characteristics of sevoflurane-nitrous oxide and enflurane-nitrous oxide anaesthesia, 517
Boccaccini A *see* Rucci FS
Bogod DG *see* Tighe KE
Bolinches R *see* De Andrés JA
Böttiger BW *see* Motsch J
Böttiger BW, Rauch H, Haussmann R, Keller M, Christmann G, Fleischer F & Martin E. Safety and effectiveness of an oral premedication regimen before cardiac surgery, 341
Bredahl C, Lambert-Jensen P & Freundlich M. Effect of a radiant heater on post-operative hypothermia: comparison with a reflective blanket, 565
Brimacombe J, Tucker P & Simons S. The laryngeal mask airway for awake diagnostic bronchoscopy. A retrospective study of 200 consecutive patients, 357
Browne G *see* Green DT
Brugger S *see* Staudinger T
Brune K *see* Hering W
Brüssel Th *see* Prien Th
Bucciardini L *see* Fabbri LP
Bugov L *see* Acalovschi I
Bullingham RES *see* Rice ASC
Buyse L *see* Crul JF

Campaña O *see* Blanco E
Chan YM *see* Irwin MG
Cheng IKP *see* Irwin MG
Chetty MS *see* Pollard BJ
Chinev S, Bakalova R, Peneva V, Uzunova P, Galabova T, Sokolova Z & Ribarov S. Nitrous oxide with fentanyl and droperidol minimizes lipid peroxidation in the liver, 155
Christmann G *see* Böttiger BW
Chrubasik S *see* Shapira SC
Chui PT & Gin T. A Comparison between ketorolac and diclofenac in laparoscopic sterilization, 597
Chung RA *see* Fawcett WJ
Conn DA *see* van den Berg AA
Cooper RA, Mirakhur RK, Wierda JMKH & Maddineni VR. Pharmacokinetics of rocuronium bromide in patients with and without renal failure, Supp. 11, 43
Crul JF, Vanbelleghem V, Buyse L, Heylen R & van Egmond J. Rocuronium with alfentanil and

© 1995 European Academy of Anaesthesiology

propofol allows intubation within 45 seconds, Supp. 11, 111
Curatolo M, Orlando A, Zbinden A & Venuti FS. Failure rate of epidural anaesthesia for foot and ankle surgery. A comparison with other surgical procedures, 363

Dalmas S, Wanigasekera VA, Marsch SCU, Ryder WA, Wong LSS & Foëx P. The influence of preload on post-systolic shortening in ischaemic myocardium, 127
Dan K *see* Higa K
Daughtery MO *see* Parke TJ
Davis L, Jayarajah MJ, Toner CC & Flynn PJ. Evaluation of neuromuscular effects and antagonism of rocuronium bromide: a preliminary report, Supp. 11, 65
De Andrés JA, Febré E, Bellver J & Bolinches R. Continuous spinal anaesthesia versus single dosing. A comparative study, 135
de Roo M *see* Mortelmans Y
Demel C *see* Krumholz W
Deusch H *see* Schimek F
Dilger JP, Liu Y & Vidal AM. Interactions of general anaesthetics with single acetylcholine receptor channels, 31
Dinkel M *see* Hering W
Doni L *see* Rucci FS
Dowling C *see* Gao F
Duch DS, Wartenberg HC & Urban BW. Dissecting pentobarbitone actions on single voltage-gated sodium channels, 71
Dybvik T, Halvorsen P & Steen PA. Accidental intravenous administration of 50 mg of racemic adrenaline in a 2-year-old boy, 181

Eckert S *see* Standl T
Eintrei C *see* Jensen AG
Elliott JR & Urban BW. Integrative effects of general anaesthetics: why nerve axons should not be ignored, 41
Erciyes N *see* Aktürk G
Erdemli O, Tel BC, Gumusel B & Sahin-Erdemli I. The pulmonary vascular response to propofol in the isolated perfused rat lung, 617
Erkola O *see* Meretoja OA
Erni D, Banic A, Wheatley AM & Sigurdsson GH. Haemorrhage during anaesthesia and surgery: continuous measurement of microcirculatory blood flow in the kidney, liver, skin and skeletal muscle, 423

Fabbri LP, Batacchi S, Linden M, Bucciardini L, Fontanari P, Venneri F & Marsili M. Anaesthesia for urological endoscopic procedures in adult outpatients, 319
Fagundo S *see* Blanco E
Fairley CJ *see* Fawcett WJ
Fawcett WJ, Chung RA, Fairley CJ & Hollway TE. The effect of reversal of myoneural blockade on cerebrospinal fluid pressure following cerebral aneurysm surgery, 591
Febré E *see* De Andrés JA
Feigin E *see* Shapira SC
Feldman SA & Khaw K. The effect of dose and the rate of stimulation on the action of rocuronium, Supp. 11, 15
Feldman SA *see* Redai I
Fleischer F *see* Böttiger BW
Flynn PJ *see* Davis L
Foëx P *see* Dalmas S
Fontanari P *see* Fabbri LP
Frass M *see* Staudinger T
Fredman B, Olsfanger D & Jedeikin R. A comparative study of ketorolac and diclofenac post-laparoscopic cholecystectomy pain, 501
Freundlich M *see* Bredahl C

Galabova T *see* Chinev S
Gallandat Huet RCG *see* Smeulers NJ
Gao F, Waters B, Seagar J, Dowling C & Vickers MD. Comparison of bupivacaine plus buprenorphine with bupivacaine alone by caudal blockade for post-operative pain relief after hip and knee arthroplasty, 471
Gastin I *see* Laxenaire MC
Gebhart GF. Visceral nociception: consequences, modulation and the future, Supp. 10, 24
Geisslinger G *see* Hering W
Giamberardino MA & Vecchiet L. Visceral pain, referred hyperalgesia and outcome: new concepts, Supp. 10, 61
Gin T *see* Chui PT
Granfeldt H *see* Jensen AG
Green DT, Hughes NJ & Browne G. Anaesthesia for

a patient undergoing thoracoscopic assisted trans-hiatal oesophagectomy, 483
Guéant JL *see* Laxenaire MC
Gumusel B *see* Erdemli O

Hahn RG *see* Löfgren A
Hahn RG. Life-threatening transurethral resection syndrome despite monitoring of fluid absorption with ethanol, 431
Halvorsen P *see* Dybvik T
Haussmann R *see* Böttiger BW
Healy TEJ *see* Pollard BJ
Hempelmann G *see* Krumholz W
Henderson MA, Use of a laryngeal mask airway in an adult patient with the Hunter Syndrome, 613
Hennis PJ *see* Smeulers NJ
Hering W, Shlecht R, Geisslinger G, Biburger G, Dinkel M, Brune K & Ruegheimer E. EEG analysis and pharmacodynamic modelling after intravenous bolus injection of eltanolone (pregnanolone), 407
Heylen R *see* Crul JF
Higa K, Mori M, Shono S & Dan K. Trimetaphan may cause coronary artery spasm, 529
Hirasaki A *see* Nishiyama T
Hjemdahl P *see* Löfgren A
Hofmockel R & Benad G. Time–course of action and intubating conditions with rocuronium bromide under propofol–alfentanil anaesthesia, Supp. 11, 69
Hoka S, Izumi K, Matsukado T, Matsuda K & Takahashi S. Coronary artery spasm induced under lumbar epidural anaesthesia, 609
Hollway TE *see* Fawcett WJ
Hommes FDM *see* van den Broek L
Honjol NM *see* van den Berg AA
Hughes JH *see* Nott MR
Hughes NJ *see* Green DT
Hunter JM. The pharmacokinetics of rocuronium bromide in hepatic cirrhosis, Supp. 11, 39

Irwin MG, Roulson CJ, Jones RDM, Cheng IKP, Visram AR & Chan YM. Perioperative administration of rectal diclofenac sodium. The effect on renal function in patients undergoing minor orthopaedic surgery, 403
Ishihara H *see* Shimodate Y
Izumi K *see* Hoka S

Jänig W. The sympathetic nervous system in pain, Supp. 10, 53
Jayarajah MJ *see* Davis L
Jedeikin R *see* Fredman B
Jensen AG, Granfeldt H, Kalman SH, Nyström P-O & Eintrei C. A comparison of propofol and isoflurane anaesthesia: the need for ephedrine and glycopyrrolate, 291
Jones JG *see* Sapsford DJ
Jones RDM *see* Irwin MG
Jung S *see* Krumholz W
Juvakoski M *see* Meretoja OA

Kalman SH *see* Jensen AG
Kanakoudis FS *see* Michaloudis DG
Karlsson BR, Löberg EM & Steen PA. Dexmedetomidine, a potent α_2-agonist, does not affect neuronal damage following severe forebrain ischaemia in the rat, 281
Kashimoto S *see* Matsukawa T
Katz J. Pre-emptive analgesia: evidence, current status and future directions, Supp. 10, 8
Kehlet H & Rosenberg J. Late post-operative hypoxaemia and organ dysfunction, Supp. 10, 31
Kehlet H *see* Rosenberg J
Keller E *see* Weiss BM
Keller M *see* Böttiger BW
Khaw K *see* Feldman SA
Khuenl-Brady KS *see* Pühringer FK
Khuenl-Brady KS, Sparr H, Pühringer F & Agoston S. Rocuronium bromide in the ICU: dose finding and pharmacokinetics, Supp. 11, 79
Kiral N *see* Aktürk G
Kirkegaard-Nielsen H, Toft P, Severinsen IK & May O. Optimum time for neostigmine administration to antagonize vecuronium-induced neuromuscular blockade, 585
Klappacher G *see* Staudinger T
Klasing S *see* Schwender D
Kleef UW *see* Beaufort AM
Knecht J *see* Krumholz W
Kochs E & Werner C. Neuroprotection: fact or fantasy? Supp. 10, 67
Koh H *see* Shimodate Y
Kolev N & Zimpfer M. Impact of ischaemia on diastolic function: clinical relevance and recent Doppler echocardiographic insights, 123

Kolev N & Zimpfer M. Ventricular performance curves revisited, 445
Korttila KT. Post-anaesthetic psychomotor and cognitive function, Supp. 10, 43
Kress HG. Effects of general anaesthetics on second messenger systems, 83
Krumholz W, Demel C, Jung S, Meuthen G, Knecht J & Hempelmann G. The effects of thiopentone, etomidate, ketamine and midazolam on several bactericidal functions of polymorphonuclear leucocytes *in vitro*, 141
Kumazawa T *see* Matsukawa T

Lambert-Jensen P *see* Bredahl C
Langmoen IA, Larsen M & Berg-Johnsen J. Volatile anaesthetics: cellular mechanisms of action, 51
Larsen M *see* Langmoen IA
Laxenaire MC, Gastin I, Moneret-Vautrin DA, Widmer S & Guéant JL. Cross-reactivity of rocuronium with other neuromuscular blocking agents, Supp. 11, 55
Leuwer M *see* Motsch J
Levy DM & Peacock JE. Onset of neuromuscular block during total intravenous anaesthesia: effects of ketamine compared with alfentanil, 309
Liebeskind C *see* Sternberg WF
Linden M *see* Fabbri LP
Liu Y *see* Dilger JP
Lloyd J *see* Rice ASC
Löberg EM *see* Karlsson BR
Locker G *see* Staudinger T
Löfgren A, Hjemdahl P, Ölund A, Berlin T & Hahn RG. Adrenaline, cyclic AMP and potassium during general anaesthesia with and without epidural analgesia, 487
Lowson SM *see* Parke TJ

Maddineni VR *see* Cooper RA
Madler C *see* Schwender D
Magora F *see* Shapira SC
Marsch SCU *see* Dalmas S
Marshall RJ, Muir AW, Sleigh T & Savage DS. Research and development of aminosteroid neuromuscular blocking agents: past and future, Supp. 11, 5
Marsili M *see* Fabbri LP
Martin E *see* Böttiger BW
Martin E *see* Motsch J
Matsuda K *see* Hoka S
Matsukado T *see* Hoka S
Matsukawa T, Kashimoto S, Matsuoka H, Takahashi M & Kumazawa T. Effects of prostaglandin E_1 on intra-operative central and peripheral temperatures during upper abdominal surgery, 417
Matsuki A *see* Shimodate Y
Matsuoka H *see* Matsukawa T
May O *see* Kirkegaard-Nielsen H
Megnes M *see* Prien Th
Merckx E *see* Mortelmans Y
Meretoja OA, Taivainen T, Erkola O, Rautoma P & Juvakoski M. Dose–response and time–course of effect of rocuronium bromide in paediatric patients, Supp. 11, 19
Meuthen G *see* Krumholz W
Michaloudis DG, Kanakoudis FS, Xatzikraniotis A & Bischiniotis TS. The effects of midazolam followed by administration of either vecuronium or atracurium on the QT interval in humans, 577
Miclescu A *see* Acalovschi I
Miller KW *see* Tonner PH
Mirakhur RK *see* Cooper RA
Mirakhur RK. Dose–response and time–course of action of rocuronium bromide, Supp. 11, 23
Mitterschiffthaler G *see* Pühringer FK
Moneret-Vautrin DA *see* Laxenaire MC
Morgan PG & Sedensky MM. A review of molecular genetics for the anaesthetist, 221
Mori M *see* Higa K
Mortelmans L *see* Mortelmans Y
Mortelmans Y, Merckx E, van Nerom C, Verbruggen A, van Aken H, de Roo M & Mortelmans L. Effect of an equal volume replacement with 500 mL 6% hydroxyethyl starch on the blood and plasma volume of healthy volunteers, 259
Motsch J, Leuwer M, Böttiger BW, Bach A, Schönstedt R & Martin E. Dose–response, time–course of action and recovery of rocuronium bromide in children during halothane anaesthesia, Supp. 11, 73
Muir AW *see* Marshall RJ

Nandagopal M *see* van den Berg AA
Nap HJA *see* van den Broek L
Nederveen PJ *see* Beaufort AM

Nishiyama T & Hirasaki A. Effects of sevoflurane anaesthesia on renal function—duration of administration and area under the curve and rate of decrease of serum inorganic flouride, 477
Nishiyama T. The post-operative analgesic action of midazolam following epidural administration, 369
Nott MR & Hughes JH. Topical anaesthesia for the insertion of nasogastric tubes, 287
Novak-Jankovič V, Paver-Eržen V, Podboj J & Šuškovič S. A comparison of intravenous and inhalational maintenance anaesthesia for endoscopic procedures in the aspirin intolerance syndrome, 345
Nyström P-O *see* Jensen AG

O'Sullivan G *see* Rice ASC
Odeberg S & Sollevi A. Pneumoperitoneum for laparoscopic surgery does not increase venous admixture, 541
Ogilvy AJ & Smith G. The gastrointestional tract after anaesthesia, Supp. 10, 35
Olkkola KT *see* Tammisto T
Olsfanger D *see* Fredman B
Ölund A *see* Löfgren A
Orlando A *see* Curatolo M
Ortiz M, Blanco D, Serra J & Vidal F. Peribular anaesthesia: the role of local anaesthetic volumes and Thiomucase® in motor block and intraocular pressure, 603
Özen I *see* Aktürk G

Pace NA *see* van den Berg AA
Paravicini D *see* Vickers MD
Parke TJ, Lowson SM, Uncles DR, Daughtery MO & Sitzman BT. Pre-emptive versus post-surgical administration of ketorolac for hysterectomy, 549
Pasch T *see* Weiss BM
Paver-Eržen V *see* Novak-Jankovič V
Peacock JE *see* Levy DM
Peneva V *see* Chinev S
Peter K *see* Schwender D
Peterson-Felix S *see* Arendt-Nielsen L
Pippa P *see* Rucci FS
Podboj J *see* Novak-Jankovič V
Pollard BJ, Chetty MS, Wilson A & Healy TEJ. Intubation conditions and time–course of action of low–dose rocuronium bromide in day-case dental surgery, Supp. 11, 81
Pöppel E *see* Schwender D
Prien Th, Zahn P, Menges M & Brüssel Th. $1 \times ED_{90}$ dose of rocuronium bromide: tracheal intubation conditions and time-course of action, Supp. 11, 85
Proost *see* Wierda JMKH
Pühringer F *see* Khuenl-Brady KS
Pühringer FK, Khuenl-Brady KS & Mitterschiffthaler G. Rocuronium bromide: time–course of action in underweight, normal weight, overweight and obese patients, Suppl. 11, 107

Qureshi SA *see* van den Berg AA

Rama Prabhu NV *see* van den Berg AA
Rauch H *see* Böttiger BW
Rautoma P *see* Meretoja OA
Rawal N. Analgesia technique and post-operative morbidity, Supp. 10, 47
Redai I & Feldman SA. Priming studies with rocuronium and vecuronium, Supp. 11, 11
Ribarov S *see* Chinev S
Rice ASC, Whitehead EM, O'Sullivan G, Lloyd J & Bullingham RES. Speed of onset of analgesic effect of intravenous ketorolac compared to morphine and placebo, 313
Richards CD. The synaptic basis of general anaesthesia, 5
Rintelen C *see* Staudinger T
Rosenberg J *see* Kehlet H
Rosenberg J, Rosenberg-Adamsen S & Kehlet H. Post-operative sleep disturbance: causes, factors and effects on outcome, Supp. 10, 28
Rosenberg-Adamsen S *see* Rosenberg J
Roulson CJ *see* Irwin MG
Rucci FS, Boccaccini A, Doni L & Pippa P. The orthogonal two-needle technique: a new axillary approach to the brachial plexus, 333
Rucci FS, Pippa P, Boccaccini A & Barbagli R. Effect of injection speed on anaesthetic spread during axillary block using the orthogonal two-needle technique, 505
Ruegheimer E *see* Hering W
Ryder WA *see* Dalmas S

Sahin-Erdemli I *see* Erdemli O

Sapsford DJ & Jones JG. The P_{IO_2} vs. Spo_2 diagram: a non-invasive measure of pulmonary oxygen exchange, 375
Savage DS *see* Marshall RJ
Savva D *see* van den Berg AA
Schimek F & Deusch H. New technique of sciatic nerve block in the popliteal fossa, 163
Schönstedt R *see* Motsch J
Schulte am Esch J *see* Standl T
Schwender D, Madler C, Klasing S, Pöppel E & Peter K. Mid-latency auditory evoked potentials and wakefulness during Caesarean section, 171
Seager J *see* Gao F
Sedensky MM *see* Morgan PG
Seifert B *see* Weiss BM
Serra J *see* Ortiz M
Severinsen IK *see* Kirkegaard-Nielsen H
Shapira SC, Magora F, Chrubasik S, Feigin E, Vatine J-J & Weinstein D. Assessment of pain threshold and pain tolerance in women in labour and in the early post-partum period by pressure algometry, 495
Shimodate Y, Koh H, Ishihara H & Matsuki A. Comparison of glucose and sucrose as an indicator for dilution volumetry in haemorrhagic shock, 397
Shlecht R *see* Hering W
Shono S *see* Higa K
Sigurdsson GH & Thomson D. Anaesthesia and microvascular surgery: clinical practice and research, 101
Sigurdsson GH *see* Erni D
Simons S *see* Brimacombe J
Sitzman BT *see* Parke TJ
Sleigh T *see* Marshall RJ
Smeulers NJ, Wierda JMKH, van den Broek L, Gallandat Huet RCG & Hennis PJ. Hypothermic cardiopulmonary bypass influences the concentration–response relationship and the bidisposition of rocuronium, Supp. 11, 91
Smith DC & Wace JR. Surface electrodes for physiological measurement and stimulation, 451
Smith G *see* Ogilvy AJ
Smith ID *see* Tighe KE
Sokolova Z *see* Chinev S
Solak M *see* Aktürk G
Sollevi A *see* Odeberg S
Spahn DR *see* Weiss BM
Sparr H *see* Khuenl-Brady KS
Standl T, Eckert S & Schulte am Esch J. Microcatheter continuous spinal anaesthesia in the post-operative period: a prospective study of its effectiveness and complications, 273
Staudinger T, Tesinsky P, Klappacher G, Brugger S, Rintelen C, Locker G, Weiss K & Frass M. Emergency intubation with the Combitude™ in two cases of difficult airway management, 189
Steen PA *see* Dybvik T
Steen PA *see* Karlsson BR
Sternberg WF & Liebeskind C. The analgesic response to stress: genetic and gender considerations, Supp. 10, 14
Stoneham MD & Walters FJM. Post-operative analgesia for craniotomy patients: current attitudes among neuroanaesthetists, 571
Stoneham MD. Anaesthesia and resuscitation at altitude, 249
Šuškovič S *see* Novak-Jankovič V
Sykes K. Quality assurance in research, 441

Taivainen T *see* Meretoja OA
Takahashi M *see* Matsukawa T
Takahashi S *see* Hoka S
Tammisto T, Olkkola KT & Tlgerstedt I. Quantitation of the enflurane-sparing effect of alfentanil during general surgery, 301
Tel BC *see* Erdemli O
Tesinsky P *see* Staudinger T
Thomson D *see* Sigurdsson GH
Tigerstedt I *see* Tammisto T
Tighe KE, Smith ID & Bogod DG. Caesarean section in chronic renal failure, 185
Toft P *see* Kirkegaard-Nielsen H
Toner CC *see* Davis L
Tonner PH & Miller KW. Molecular sites of general anaesthetic action on acetylcholine receptors, 21
Tucker P *see* Brimacombe J

Uncles DR *see* Parke TJ
Urban BW *see* Duch DS
Urban BW *see* Elliott JR
Urban BW. Order despite a multitude of molecular anaesthetic actions, 1
Uzunova P *see* Chinev S

van Aken H *see* Mortelmans Y

van den Berg AA, Honjol NM, Rama Prabhu NV, Pace NA & Conn DA. Spontaneous respiration versus controlled ventilation anaesthesia with halothane for intra-ocular surgery, 147
van den Berg AA, Nandagopal M, Qureshi SA & Savva D. The use of lignocaine to reduce pain i.v. injection of diluted nalbuphine, 513
van den Broek L *see* Smeulers NJ
van den Broek L, Hommes FDM, Nap HJA & Wierda JMKH. Rocuronium- and mivacurium-induced neuromuscular block and intubating conditions: a comparison with vecuronium, Supp. 11, 27
van Egmond J *see* Crul JF
van Nerom C *see* Mortelmans Y
Vanbelleghem V *see* Crul JF
Vatine J-J *see* Shapira SC
Vecchiet L *see* Giamberardino MA
Venneri F *see* Fabbri LP
Venuti FS *see* Curatolo M
Verbruggen A *see* Mortelmans Y
Vickers MD & Paravicini D. Comparison of tramadol with morphine for post-operative pain following abdominal surgery, 265
Vickers MD *see* Gao F
Vidal AM *see* Dilger JP
Vidal F *see* Ortiz M
Vidal MI *see* Blanco E
Visram AR *see* Irwin MG

Wace JR *see* Smith DC
Walder AD. Failure of anaesthesia with etomidate, 325
Walters FJM *see* Stoneham MD
Wanigasekera VA *see* Dalmas S
Wartenberg HC *see* Duch DS
Watcha MF & White PF. Post-operative nausea and vomiting: do they matter? Supp. 10, 18
Waters B *see* Gao F
Weinstein D *see* Shapira SC
Weiss BM, Spahn DR, Keller E, Seifert B & Pasch T. Continuous non-invasive blood pressure monitoring by brachial artery displacement method in high-risk surgical patients, 555
Weiss K *see* Staudinger T
Werner C *see* Kochs E
Wheatley AM *see* Erni D
White PF *see* Watcha MF
Whitehead EM *see* Rice ASC
Widmer S *see* Laxenaire MC
Wierda JMKH & Proost JH. Structure-pharmacodynamic-pharmacokinetic relationships of steroidal neuromuscular blocking agents, Supp. 11, 45
Wierda JMKH *see* Beaufort AM
Wierda JMKH *see* Cooper RA
Wierda JMKH *see* Smeulers NJ
Wierda JMKH *see* van den Broek L
Wilson A *see* Pollard BJ
Wong LSS *see* Dalmas S

Xatzikraniotis A *see* Michaloudis DG

Zahn P *see* Prien Th
Zbinden A *see* Curatolo M
Zimpfer M *see* Kolev N
Zorab JSM. A general anaesthesia service for magnetic resonance imaging, 387

Keyword Index

ACID-BASE EQUILIBRIUM
carbon dioxide, 591
AGE FACTORS
adults, Supp. 11, 19
age factors, Supp. 10, 14
children, Supp. 11, 19
infants, Supp. 11, 19
AIRWAY
laryngeal mask, 357
ALLERGY
aspirin, 345
corticosteroids, 345
ANAESTHESIA
abdominal, 417
airway, 613
altitude, 249
fentanyl, 541
general, 423, 517
geriatric, 135
induction characteristics, 407
lack of, 325
mucopolysaccharidoses, 613
obstetric, 171, 185, 525
orthopaedic, 171, 185
outpatient, Supp. 10, 43
paediatric, Supp. 11, 73
propofol, 541
resuscitation, 249
ANAESTHESIA INTRAVENOUS
alfentanil, 301, 309
eltanolone (pregnanolone), 407
etomidate, 59, 141, 325
ketamine, 59, 141, 309, 319
midazolam, 141, 369, 577
propofol, 31, 291, 309, 319, 351, Supp. 11, 85
thiopentone, 141, 351, Supp. 11, 85
ANAESTHESIA VOLATILE
enflurane, 301, 517, Supp. 11, 85
ether, 31
halothane, 147, Supp. 11, 73
inhalation time, 477
isoflurane, 31, 291
sevoflurane, 477, 517
ANAESTHETIC ACTION
axon, 5
nerve, 5
neurone, 5
synapse, 5
synaptic transmission, 51
theories, 1, 41, 83
unmyelinated fibres, 51
ANAESTHETIC GASES
nitrous oxide, 155, 291, 517
ANAESTHETICS INHALED
nitrous oxide, 517
ANAESTHETICS INTRAVENOUS
eltanolone, Supp. 10, 18
propofol, Supp. 10, 18, 617
ANAESTHETICS LOCAL
bupivacaine, 369, 487, 505
carbonated solutions, 363
lignocaine, 363, 505
ANAESTHETIC TECHNIQUES
axillary approach, 333
axillary brachial plexus, 505
balanced, 301
brachial plexus, 333
caudal, 471
continuous, 273
epidural, 185, 363, 369, 471, 487, 525, Supp. 10, 47
failure, 363
general, 525
induced hypotension, 529
nerve block, Supp. 10, 47
ophthalmic anaesthesia, 603
patient controlled analgesia, 549
peribulbar anaesthesia, 603
regional, 163, 333, 505, 603
spinal, 135, 273
ANALGESIA
intramuscular, 571
intravenous, 513
nalbuphine, 513
nasal, 287
patient controlled, 571
post-operative, 273, 471, Supp. 10, 47
pre-emptive, Supp. 10, 8, 47
stimulation-induced, Supp. 10, 14
stress-induced, Supp. 10, 14

ANALGESICS
alfentanil, Supp. 11, 85
anti-inflammatory drugs, 501
bupivacaine, 135, 273, 471, 487
buprenorphine, 471
carbonated solutions, 363
codeine, 571
diclofenac, 403, Supp. 10, 18, 597
ibuprofen, Supp. 10, 18
fentanyl, Supp. 11, 85
ketorolac, 501, Supp. 10, 18, 597, 549
labour, 495
lignocaine, 135, 363
morphine, 265, 571
non-steroidal, 501
non-steroidal anti-inflammatory drugs, 549
non-steroidal inflammatory drugs, Supp. 10, 18
opioids, Supp. 10, 47
ANTAGONISTS
neostigmine, 585
ANTI-EMETICS
granisetron, Supp. 10, 18
ondansetron, Supp. 10, 18
tropisetron, Supp. 10, 18

BLOOD
leucocytes, 141
potassium, 487
BLOOD REPLACEMENT
blood replacement, 259
hydroxyethyl starch, 259
BLOOD VOLUME
blood volume, 259
labelled erythrocytes, 259
measurement, 259
BRAIN
brain, 281
central summation, Supp. 10, 1
hypoxia, Supp. 10, 67
ischaemia, 281
neurotransmitters, Supp. 10, 67
periqueductal grey

CELLS
natural killer, Supp. 10, 14
CEREBRO-SPINAL FLUID
pressure, 591
CHOLECYSTECTOMY
cholecystectomy, 541

COMPLICATIONS
asthma, 345
backache, 273
complications, 483, Supp. 10, 28
confusion, Supp. 10, 31
coronary artery spasm, 529
delirium, Supp. 10, 31
dysrhythmia, 529
fistula, Supp. 10, 35
inflammation, Supp. 10, 8
local pain, 513
multiple myeloma, 325
unintended awareness, 171
shivering, 565
wound infection, Supp. 10, 31

DAY SURGERY
recovery, Supp. 10, 43

ENDOSCOPIC SURGERY
surgery, 483
ENZYMES
lysomal, 403
n-acetyl-b-D-glucosaminidase, 403
EQUIPMENT
automatic blood pressure, 555
fibreoptic pulse oximeters, 387
flexible bronchoscope, 357
laryngeal mask, 351, 357, 613
radiant heater, 565

FLUORIDE
concentration, 517
inorganic, 477
serum inorganic fluoride AUC, 477

GANGLIONIC BLOCKING AGENT
trimetaphan, 529
GASTROINTESTINAL TRACT
gastrointestinal tract, Supp. 10, 35
GENDER FACTORS
gender factors, Supp. 10, 14
GENERAL SURGERY
abdominal, 423
GENETIC FACTORS
genetic factors, Supp. 10, 14
GENETICS
genetics, 221

HAEMODYNAMIC DATA
data, 517
HAEMORRHAGE
haemorrhage, 397
hypovolaemia, 423
HEART
failure, 181
ischaemia, 127, Supp. 10, 31
post-systolic shortening, 127
QT interval, 577
ventricular performance, 445
volume loading, 127
HORMONES
β-endorphin, 525
prostaglandin E_1, 525
HUNTER SYNDROME
lipochondrodystrophies, 613
HYPNOTICS
midazolam, 369
HYPOTHERMIA
post-operative, 565
HYPOXAEMIA
hypoxaemia, Supp. 10, 28
post-operative, Supp. 10, 31

IMMUNE RESPONSE
intradermal test, Supp. 11, 55
prick test, Suppl. 11, 55
response, 141
radioimmunoassay, Supp. 11, 55
Rast Assay, Supp. 11, 55
INDUCTION
rapid sequence, Supp. 11, 111
INTENSIVE CARE
intensive care patients, Supp. 11, 79
INTRAOCULAR PRESSURE
intraocular pressure, 603
INTUBATION
assessment, Supp. 11, 31
intubating conditions, Supp. 11, 85
intubation, Supp. 11, 69, 111
nasogastric, 287
speed, Supp. 11, 81
tracheal, Supp. 11, 27, 31, 69
IONS
APT-sensitive K^+ channels, 617
calcium, Supp. 10, 67
calcium channel blocker, 617
channels, 31, 41, 51
potassium, 59, 71
sodium, 59

KIDNEY
failure, 181, 185
function, 403
kidney, 423
nephrotoxicity, 403

LAPAROSCOPY
laparoscopy, 541
LIVER
cirrhosis, Supp. 11, 39
LUNG
blood flow, 617
gas exchange, 375
isolated perfused rat lung, 617

MEASUREMENT TECHNIQUES
auditory evoked potentials, 171
chemiluminescence, 155
dilution volumetry, 397
electrocardiography, 577
electromyography, Supp. 11, 69
kidney, 423
laser-doppler flowmetry, 423
liver, 423
magnetic resonance imaging, 387
mechanomyography, Supp. 11, 69, 73
neuromuscular blockade, Supp. 11, 15, 81, 585
oximetry, 341, 375
pressure algometry, 495
sensory decisions, 319
skeletal muscle, 423
skin, 423
surface electrodes, 451
MEMBRANE
cell, 31
lipid bilayer, 171
membrane protein, 171
nerve, 41
METABOLISM
C AMP, 83
C GMP, 83
diacylglycerol, 83
glucose, 397
inositol phosphate, 83

lipid peroxidation, 83
second messengers, 83
MICROVASCULAR
blood flow, 104
ischaemia, 101, 123
microvascular, 101
MOLECULAR
molecular, Supp. 11, 5
MONITORING
blood pressure, 291, 555
breath ethanol, 431
central venous pressure, 291
electrocardiography, 487
heart rate, 291
invasive, 555
median frequency, 407
neuromuscular, Supp. 11, 79
neuromuscular function, 585
non-evasive, 555
power spectrum analysis, 407
temperature, 417
train of four, Supp. 11, 79
MONITORS
doppler echocardiograph, 123
MYOCARDIAL ISCHAEMIA
epidural block, 609
sympathetic nerve block, 609

NERVE
action potential, 41
myelinated, 59
NERVE BLOCKADE
saphenous, 163
sciatic, 163
NEUROLEPTANALGESIA
neuroleptanalgesia, 155
NEUROMUSCULAR RELAXANTS
mivacurium, Supp. 10, 18
rocuronium, Supp. 10, 18
vecuronium, 585
NEUROMUSCULAR TRANSMISSION
stimulus frequency, Supp. 11, 15
train of four, Supp. 11, 73, 79
NEUROMUSCULAR RELAXANTS
atracurium, Supp. 11, 55, 81, 577
gallamine, Supp, 11, 55
mivacurium, Supp. 11, 27
new compounds, Supp. 11, 45
pancuronium Supp. 11, 55
rocuronium, Supp. 11, 5, 11, 15, 19, 27, 31, 39, 43, 45, 55, 69, 73, 79, 81, 85, 91, 95, 107, 111
suxamethonium, Supp. 11, 31, 55
vecuronium, 309, Supp. 11, 27, 45, 55, 81, 591, 577
NEUROMUSCULAR FUNCTION
onset time, Supp. 11, 11
priming, Supp. 11, 11

OXYGEN
oxygen, 375
shunt, 375
V/Q, 375

PAIN
experimental, Supp. 10, 1, 14, 61
human, Supp. 10, 1, 61
hyperalgesia, Supp. 10, 1, 61
neurosurgical, 571
plasticity, Supp. 10, 8
post-operative, 369, 597, 571
referred, Supp. 10, 61
visceral, Supp. 10, 24, 61
PARASYMPATHETIC NERVOUS SYSTEM
anatomy, Supp. 10, 24
parasympathetic nervous system, Supp. 10, 53
PHARMACODYNAMICS
IC50, 407
dose response, Supp. 11, 23
duration, Supp. 11, 23
modelling, 407
neuromuscular block, 309
normal weight, Supp. 11, 107
obese, Supp. 11, 107
onset time, 309, Supp. 11, 23
overweight, Supp. 11, 107
pharmacodynamics, Supp. 11, 45, 91, 95
potency, Supp. 11, 23
renal failure, Supp. 11, 43
rocuronium, Supp. 11, 19, 23
underweight, Supp. 11, 107
PHARMACOKINETICS
concentrated response, Supp. 11, 91
distribution, 397
humans, Supp. 11, 95
hypothermia, Supp. 11, 95
modelling, Supp. 11, 45
pharmacokinetics, 43, 79

priming, Supp. 11, 69
rocuronium, Supp. 11, 39
surface cooling, Supp. 11, 95
PNEUMOPERITONEUM
pneumoperitoneum, 541
POSTURE
gas exchange, 541
venous admixture, 541
POTENCY
dose response, Supp. 11, 73
age factors, Supp. 11, 73
ED50 Supp. 11, 73
weight, Supp. 11, 107
PREMEDICATION clorazepate, 341
flunitrazepam, 341
PROTEIN RECEPTOR
channels Ca^{2+}, 83
G proteins, 83
protein kinase C, 83
protein receptors, 183

RECEPTORS
excitatory amino-acid, Supp. 10, 14
opioid, Supp. 10, 14
RECOVERY
recovery, 147, 319, 517, Supp. 11, 69
RENAL FUNCTION
β_2 microglobulin, 477
RESEARCH
dog, 127
quality assurance, 441
research, 101, Supp. 10, 14

SHOCK
prostatic, 431
SIDE EFFECTS
amnesia, 369
sedation, 369
SLEEP
post-operative, Supp. 10, 28
SPINAL CORD
reflexes, Supp. 10, 53
SURGERY
abdominal, 487
caesarean section, 147
cardiopulmonary bypass, Supp. 11, 91
cardioversion, 341
cerebral aneurysm, 591
complications, 483
endoscopic, 483
hip, 471
hypothermic, Supp. 11, 91
hysterectomy, 549
intra-ocular, 147
knee, 471
laparoscopic cholecystectomy, 501
laparoscopy, 597
oesophagectomy, 483
ophthalmic, 147
otolaryngological, 345
sterilization, 597
urological, 319
SYMPATHETIC NERVOUS SYSTEM
adrenaline, 487
adrenoceptors, 181
α_2 adrencoceptor agonist, 281
anatomy, Supp. 10, 24, 53
B_2-adrenergic agonists, 487
dexmedotomidine, 281
noradrenaline, 281
pharmacology, 487
transmission, Supp. 10, 53

TEMPERATURE
body, 565
core, 417
heating, 565
skin, 417
temperature, 417
thermoregulation, 417
TOXICITY
renal, 403
TRACHEAL
difficult, 189
timing, Supp. 11, 111
tracheal, Supp. 11, 69

VENTILATION
intermittent positive pressure, 147
spontaneous, 147
ventilation, 147
VOMITING
nausea, Supp. 10, 35

© 1995 European Academy of Anaesthesiology,

Subject Index

Abstracts: Neuroanaethesia '94, Mannheim. March 1994, 195

Accidental i.v. administration of racemic adrenaline (Dybvik *et al.*), 181

Adrenaline, cAMP and potassium in surgical stress Löfren *et al.*), 487

Alfentanil – enflurane-sparing effect of (Tammisto *et al.*), 301

Aminosteroid neuromuscular blocking agents (Marshall *et al.*), Supp. 11, 5

Anaesthesia during trans-hiatal oesophagectomy (Green *et al.*), 483

, breakthroughs (Korttila), (Abs) Supp. 10, 71

Analgesia and post-operative morbidity (Rawal), Supp. 10, 47

Analgesic response to stress: genetic and gender considerations (Sternberg & Liebeskind) Supp. 10, 14

Auditory evoked potentials, wakefulness during Caesarean section (Schwender *et al.*), 171

Blood pressure monitoring – brachial artery displacement method (Weiss *et al.*), 555

Book Reviews, Anaesthesia for thoracic surgery 2nd Edn (Benumof), 537

, Anaesthesia for Orthopaedic Surgery (Conroy & Dorman), 330

, Applied Neuromuscular Phamacology (Ed. BJ Pollard), 625

, Colour atlas of critical and intensive care (Ryan & Park), 538

, Interfacing the IBM-PC to Medical Equipment (Nickalls & Ramsubramanian), 435

, Paediatric Day Case Surgery (Morton & Raine), 329

, Practical Procedures in Anaesthesia and Critical Care (Baskett *et al.*), 625

, Pulmonary Function: A Guide for Clinicians (Laszlo), 331

, Respiratory Physiology in Anaesthetic Practice (Gal), 329

Caesarean section, chronic renal failure (Tighe *et al.*), 185

, choice of anaesthetic technique (Aktürk *et al.*), 525

Case Report, Etomidate (Walder), 325

, Transurethral resection syndrome with ethanol (Hahn), 431

, Trimetaphan and coronary artery spasm (Higa *et al.*), 529

Chronic renal failure: Caesarean section (Tighe *et al.*), 185

Continuous spinal anaesthesia v. single dosing. (de Andrés *et al.*), 135

Controlled ventilation v. spontaneous respiration with halothane for intra-ocular surgery (van den Berg *et al.*), 147

Coronary artery spasm induced under lumbar epidural anaesthesia (Hoka *et al.*), 609

Correspondence, Ketamine and thiopentone in Caesarean section (Maleck), 533

, 3-way tap for identifying the epidural space (Dagli *et al.*), 437

Craniotomy, post-op analgesia (Stoneham & Walters), 571

Dexmedotomidine, a potent α_2-agonist (Karlsson *et al.*), 281

Diclofenac sodium on renal function for minor orthopaedic surgery (Irwin *et al.*), 403

Diprifusor TCI (Struys *et al.*), (Abs) Supp. 10, 85

Diprifusor (Swinhoe *et al.*), (Abs) Supp. 10, 84

Droperidol and fentanyl with nitrous oxide – lipid peroxidation in rat liver (Chinev *et al.*), 155

Editorial, Molecular anaesthetic actions (Urban), 1

, Quality assurance in research (Sykes), 441

EEG analysis and pharmacodynamic modelling after iv injection of eltanolone (pregnanolone) (Hering *et al.*), 407

Emergency intubation with the Combitube (Staudinger *et al.*), 189

Enflurane and sevoflurane – clinical comparison (Blanco *et al.*), 517

Epidural anaesthesia for foot and ankle surgery – failure rate (Curatolo *et al.*), 363

Etomidate: Case Report (Walder), 325

, thiopentone, ketamine and midazolam on bactericidal functions of PMNL in vitro (Krumholz *et al.*), 141

Fentanyl and droperidol with nitrous oxide – lipid peroxidation in rat liver (Chinev *et al.*), 155

GA on second messenger systems (Kress), 83

, for MRI (Zorab), 387
Gastrointestinal tract after anaesthesia (Ogilvy & Smith), Supp. 10, 35
General Anaesthesia with single acetylcholine receptor channels (Dilger *et al.*), 31
Glucose and sucrose, haemorrhagic shock (Shimodate *et al.*), 397
Haemorrhage during anaesthesia and surgery: microcirculatory blood flow (Erni *et al.*), 234
Halothane for intra-ocular surgery: controlled ventilation v. spontaneous respiration (van den Berg *et al.*), 147
Hunter syndrome, laryngeal mask airway (Henderson), 613
Hydroxyethyl starch (Mortelmans *et al.*), 259
Identifying the epidural space. Correspondence (Dagli *et al.*), 437
I.V. and inhalational maintenance for endoscopic procedures in aspirin intolerance syndrome. (Novak-Jankovic *et al.*), 345
Injection speed in axillary block (Rucci *et al.*), 505
Integrative effects of GA: why nerve axons should not be ignored (Elliott & Urban), 41
Intravenous anaesthetics on nerve axons (Benoit), 59
Intravenous ketorolac compared to morphine (Rice *et al.*), 313
Ischaemia on diastolic function – recent Doppler echocardiographic insights. A review (Kolev & Zimpfer), 123
Ischaemic myocardium – post-systolic shortening (Dalmas *et al.*), 127
Isoflurane anaesthesia and propofol; ephedrine and glycopyrrolate (Jenson *et al.*), 291
Ketamine, thiopentone, etomidate and midazolam on bactericidal functions of PMNL in vitro (Krumholz *et al.*), 141
, and thiopentone in Caesarean section. Correspondence (Maleck), 533
, alfentanil, onset of neuromuscular block (Levy and Peacock), 309
Ketorolac compared to morphine and placebo – intravenous (Rice *et al.*), 313
, and diclofenac in laparoscopic sterilization (Chui and Gin), 597
, hysterectomy (Parke *et al.*), 549
, vs. diclofenac for post-operative pain (Fredman *et al.*), 501
Laparoscopic: pneumoperitoneum (Odeberg & Sollevi), 541
Laryngeal mask airway for awake diagnostic bronchoscopy (Brimacombe *et al.*), 357
, in Hunter syndrome (Henderson), 613
Lignocaine and pain of diluted nalbuphine (van den Berg), 513
Magnetic resonance imaging: general anaesthesia (Zorab), 387
Meeting Report, Quality assurance in anaesthesia research. Bern, 1995 (Eidelman *et al.*), 535
Microvascular surgery (Sigurdsson & Thomson), 101
Midazolam, thiopentone, etomidate and ketamine on bactericidal functions of PMNL in vitro (Krumholz *et al.*), 141
, followed by vecuronium or atracurium on QT interval (Michaloudis *et al.*), 577
Mivacurium, rocuronium, vecuronium: clinical use (van den Broek *et al.*), Supp. 11, 27
Molecular anaesthetic actions. Editorial (Urban), 1
, genetics: A review (Morgan & Sedensky), 221
, sites of GA on acetylcholine receptors (Tonner & Miller), 21
Myoneural blockade on cerebrospinal fluid pressure, cerebral aneurysm surgery. (Fawcett *et al.*), 591
Nasogastric tubes, topical anaesthesia (Nott & Hughes), 287
Neostigmine and vecuronium-induced neuromuscular blockade (Kirkegaard-Nielsen *et al.*), 585
Neuroanaethesia '94, Mannheim. Abstracts March 1994, 195
Neuromuscular block during total intravenous anaesthesia (Levy & Peacock), 309
Neuromuscular blockade, neostigmine and vecuronium (Kirkegaard-Nielsen *et al.*), 585
Neuronal damage – Dexmedotomidine, a potent α_2 agonist, does not affect. (Karlsson *et al.*), 281
Neuroplasticity, clinical pain (Arendt-Nielsen & Petersen-Felix), Supp. 10, 1
Neuroprotection (Kochs & Werner), Supp. 10, 67
Nitrous oxide with fentanyl and droperidol – lipid peroxidation in rat liver (Chinev *et al.*), 155
Non-invasive measure of pulmonary oxygen exchange (Sapsford & Jones), 375
Oral premedication before cardiac surgery (Böttiger *et al.*), 341

Orthogonal two-needles technique and the brachial plexus (Rucci *et al.*), 333
Pain threshold and tolerance in labour (Shapira *et al.*), 495
Pentobarbitone actions on single voltage-gated sodium channels (Dutch *et al.*), 71
Peribulbar anaesthesia: LA and Thiomucase in motor block and intraocular pressure (Ortiz *et al.*), 603
Pharmacology of remifentanil (Glass) (Abs) Supp. 10, 73
Pneumoperitoneum for laparoscopic surgery (Odeberg & Sollevi), 541
Post-operative analgesia for craniotomy (Stoneham & Walters), 571
, analgesic action of midazolam following epidural administration (Nishiyama), 369
, hypothermia: radiant heater v reflective blanket (Bredahl *et al.*), 565
, hypoxaemia and organ dysfunction (Kehlet & Rosenberg), Supp, 10, 31
, nausea and vomiting (Watcha & White), Supp. 10, 18
, pain relief after arthroplasty (Gao *et al.*), 471
, sleep disturbance (Rosenberg *et al.*), Supp. 10, 28
Post-systolic shortening, ischaemic myocardium (Dalmas *et al.*), 127
Pre-emptive analgesia (Katz), Supp. 10, 8
Propofol on laryngeal reactivity and haemodynamic response to laryngeal mask insertion (Acalovschi *et al.*), 351
, and isoflurane anaesthesia: ephedrine and glycopyrrolate (Jensen *et al.*), 291
Prostaglandin E_1 during upper abdominal surgery (Matsukawa *et al.*), 417
Psychomotor and cognitive function (Korttila), Supp. 10, 43
Pulmonary vascular response to propofol, the isolated perfused rat lung (Erdemli *et al.*), 617
Quality assurance in research: Editorial (Sykes), 441
Remifentanil in cardiac surgery (Royston), (Abs) Supp. 10, 77.
, on patient outcomes (Fragen), Supp. (Abs) 10, 75
Renal function in sevoflurane anaesthesia (Nishiyama & Hirasaki), 477
Resuscitation at altitude. A review (Stoneham), 249
Review: Resuscitation at altitude (Stoneham), 249
, Ischaemia on diastolic function – recent Doppler echocardiographic insights (Kolev & Zimpfer), 123
, Molecular genetics: A review (Morgan & Sedensky), 221
, Surface electrodes for physiological measurement and stimulation, (Smith & Wace), 451
, Ventricular performance curves revisited (Kolev & Zimpfer), 445
Rocuronium Bromide (Mirakhur), Supp. 11, 23
, $1 \times ED_{90}$ dose (Prien *et al.*), Supp. 11, 85
, cross-reactivity with other neuromuscular blocking agents (Laxenaire *et al.*), Supp. 11, 55
, in hepatic cirrhosis (Hunter), Supp. 11, 39
, in renal failure (Cooper *et al.*), Supp. 11, 43
, in the ICU (Khueni-Brady *et al.*), Supp. 11, 79
, neuromuscular effects and antagonism (Davis *et al.*), Supp. 11, 65
Rocuronium action and stimulation (Feldman & Khaw), Supp. 11, 15
, cardiopulmonary bypass surgery (Smeulers *et al.*), Supp. 11, 91
, children (Motsch *et al.*), Supp. 11, 73
, day case dental surgery (Pollard *et al.*), Supp. 11, 81
, hypothermia (Beaufort *et al.*), Supp. 11, 95
, intubating conditions (Agoston), Supp. 11, 31
, mivacurium, vecuronium: clinical use (van den Broek *et al.*), Supp. 11, 27
, paediatric patients (Meretoja *et al.*), Supp. 11, 19
, propofol-alfentanil anaesthesia (Hofmockel & Benad), Supp. 11, 69
, time course (Pühringer *et al.*), Supp. 11, 107
, vecuronium: priming studies (Redai & Feldman), Supp. 11
Sciatic nerve block in the popliteal fossa (Schimek & Deusch), 163
Sevoflurane and enflurane – clinical comparison (Blanco *et al.*), 517
Spinal anaesthesia in the post-operative period (Standl *et al.*), 273
Spontaneous respiration v. controlled ventilation with halothane for intra-ocular surgery (van den Berg *et al.*), 147

Steroidal neuromuscular blocking agents: structure-activity relationship (Wierda and Proost), Supp. 11, 45
Surface electrodes for physiological measurement and stimulation. Review (Smith & Wace), 451
Sympathetic nervous system in pain (Jänig), Supp. 10, 53
Synaptic basis of general anaesthesia (Richards), 5
Target Controlled infusions (Glass), (Abs) Supp. 10, 83
TCI (White), (Abs) Supp. 10, 87
, in practice (Engbers), (Abs) Supp. 10, 88
Thiopentone, etomidate, ketamine and midazolam on bactericidal functions of polymorphonuclear leucocytes in vitro (Krumholz *et al.*), 141
Total intravenous anaesthesia (Levy & Peacock), 309
Tramadol with morphine for post-operative pain following abdominal surgery (Vickers & Paravicini), 265
Transurethral resection syndrome with ethanol. Case Report (Hahn), 431
Trimetaphan and coronary artery spasm. Case Report (Higa *et al.*), 529
Urological endoscopic procedures (Fabbri *et al.*), 319
Vecuronium, rocuronium, mivacurium: clinical use (van den Broek *et al.*), Supp. 11, 27
Ventricular performance curves revisited. A review (Kolev & Zimpfer), 445
Visceral nociception (Gebhart), Supp. 10, 24
, pain, referred hyperalgesia (Giamberardino & Vecchiet), Supp. 10, 61
Volatile anaesthetics: cellular mechanisms (Langmoen *et al.*), 51
Wakefulness, auditory evoked potentials during Caesarean section (Schwender *et al.*), 171
Year 2005 (Cunningham), (Abs) Supp. 10, 80